

FLAKY SOFTENER 80R

1、 Main components

Aliphatic acid and aliphatic amine

2、 Tehnical indicators

Appearance: milky white flakes.

PH value: 3-4at 5-8% solution.

Ionic character: weak cationic.

Dilution Method:

Cool dilution: pour the flakes slowly into water (30℃) in the proportion of 5-8%, stir the mixture slowly to split the flakes for 3-5 minutes , then leave the mixture aside for 1-2 hours. After observing the flakes are totally dissolved, restir the mixture slowly to get an even paste.

Warm dilution: pour the flakes slowly into room temperature water in the proportion of 6-10%,stir and heat to 50-60℃ until the flakes melt and become a paste.

Warm dilution: pour the flakes slowly into room temperature water in the proportion of 6-10%,stir and heat to 50-60℃ until the flakes melt and become a paste.

3、 Main performance

Especially in jeans, water finishing fabrics, knitting materials, woven sweater and towels, gives the textiles perfect soft and smooth hand feels.

4、 Application method

Padding process: 2-3g/l, exhaust and pad at 30-40℃

Dipping process: 0.3-0.8% (o. w. f), bath ratio 1:10-15 for 15-30 minutes at 40-50℃

5、 Packaging and storage

The shelf life is 1 year when store in a cool, dry and dark room.

25 KG in nylon woven bag

东莞市洁威实业有限公司
DONGGUAN JERVAY INDUSTRIAL CO.,LTD.

Web:www.jervay.com
Contact person:Mr.Finn

Email:jv@jervay.com
Tel:+86 150 1475 1722

The above information and data are for reference only. Customers should do laboratory samples in advance to determine the specific process and dosage. The company only to product specifications, quality consistency to guarantee. Customers due to the addition of other additives, or due to process and fabric losses, the company is not responsible.